WHAT IS CLAIMED IS:

- 1. A clip comprising:
- a face member with a convex bend at a first end having an inner face member, pivotably connected to a base member having a concave bend at a first end and a mounting portion at a second end; and
- a biasing member urging the first end of the face member toward the first end of the base member.
- 2. The clip of claim 1, wherein the inner face member of the convex bend of the face member comprises a smooth surface member.
- 3. The clip of claim 1, wherein the inner face member of the convex bend of the face member comprises a knurled surface member.
- 4. The clip of claim 1, wherein the face member and the base member comprise steel.
 - 5. The clip of claim 4, wherein the steel is cold rolled steel.
- 6. The clip of claim 1, wherein the face member and the base member comprise brass.
- 7. The clip of claim 1, wherein the face member and the base member are composed of a single piece.
 - 8. The clip of claim 1, wherein the biasing means comprises a leaf spring.
 - 9. The clip of claim 1, wherein the biasing means comprises a coil spring.
 - 10. A clip comprising:
 - a face member comprising:

a first end with a convex bend therein, comprising an outer surface member and an inner surface member;

a second end;

two side edges; and

at least one extension extending away from the inner surface member, defining an opening;

a base member comprising:

a first end with a convex bend therein, comprising an outer surface member and an inner surface member;

a second end defining a circular hole;

two side edges; and

at least one extension extending away from the inner surface member, defining an opening;

fastening means for pivotably fastening the face member to the base member; and

a coil spring operative to urge the first end of the face member toward the first end of the base member.

- 11. The clip of claim 10, wherein both the face member and the base member each comprise a pair of extensions, one on each side edge, extending substantially perpendicularly from the inner surface member, each extension defining matching circular openings.
- 12. The clip of claim 10, wherein the inner surface member of the first end of the face member is smooth.
- 13. The clip of claim 10, wherein the inner surface member of the first end of the face member is knurled.
 - 14. The clip of claim 10, wherein the fastening means comprises a rivet.
 - 15. The clip of claim 10, wherein the face member and the base member each

comprise a single piece of metal.

16. A personal document display comprising:

a clip comprising:

a face member comprising:

a first end with a convex bend therein, comprising an outer surface member and an inner surface member;

a second end;

two side edges; and

at least one extension extending away from the inner surface member, defining an opening;

a base member comprising:

a first end with a convex bend therein, comprising an outer surface member and an inner surface member;

a second end defining a circular hole;

two side edges; and

at least one extension extending away from the inner surface member, defining an opening;

fastening means for pivotably fastening the face member to the base member; and

a coil spring operative to urge the first end of the face member toward the first end of the base member;

a document display pivotably mounted to the base member at the circular hole.

- 17. The personal document display of claim 16, wherein the document display comprises a clear sleeve operable to accept a document.
- 18. The personal document display of claim 16, wherein the document display comprises a card operative to accept graphic, photographic, alphanumeric, bar code, and/or magnetic information.

19. The clip of claim 1 wherein the convex ends of the face member and the base member are each coated or covered or encased in a plastic or rubber material or material providing greater friction with clothing material.